

Continuous BAND SEALERS



- 6 MONTHS WARRANTY (usable parts excluded)
- SPARE PARTS IN STOCK
- A wide range of continuous band sealer models are available including:
 - horizontal & vertical
 - left & right feed
 - light, medium, & heavy duty

STANDARD ACCESSORIES:

- Sealing band
- Guiding belt
- Typeset box & all-alloy typesets
- Tools
- Heating element
- Motor Brush
- PC Board

STANDARD FEATURES:

- Stainless steel machine frame
- Digital temperature control
- Full gear drive assures long lasting performance and superior sealing quality
- Variable conveyor speed
- Emergency stop available in some models
- Embossing function for non-printing sealers
- Conveyor table can be horizontally and vertically adjusted

OPTIONS *(available for most models):*

- Color ribbon printing (S)
- Solid ink printing (M)
- Wider conveyor table (X)
- Stainless steel typeset
- Air blowing device (C)
- Air suction device (Q)
- 15mm or 30mm seal width
- Custom specifications

LIGHT DUTY

The smallest model & ideal for sealing small, light packages



CBS-880I



FR-770I



HL-M810I



CBS-880II
(CBS-880II includes a vertical converting kit)




FR-770II



HL-M810II

MEDIUM DUTY

Designed for medium content bag sealing



FRM-1120W
FRS-1120W

- Conveyor tilts 0° - 30° downward, allowing products to concentrate at bag bottom
- Equipped with four casters for easy mobility

- The FRM-1120W models are equipped with a solid-ink printer for printing the manufacture date, expiration date, lot number, etc.
- An optional color ribbon printing is available in **Model FRS-1120W** (M – Solid ink printing; S – Color ribbon printing)
- Available Models: FRM-1120AL/M
FRM-1120AL/L



FRM-1120AL/D
(The vertical conveyor does not tilt.
The sealing head moves up & down)

Some machines and/or options are special order and can take 8-12 weeks to come in.
Distributed by: Doug Care Equipment 559-539-3076 doug@dougcare.com

HEAVY DUTY

Heavier model & capable of sealing packages of heavier content
FR-1120AL

- Vertical sealing
- Equipped with 2 heating blocks

Symbols:

- /S – 2 Heating blocks
- /D – Adjustable sealing head
- /M – ½ HP motor
- /L – 1 HP motor
- /T – No conveyor



FR-1120AL/S



FR-1120AL/SL



FR-1120AL/ST




FR-1120AL/SM

HEAVY DUTY Automatic Sealer

For thick PE or PP plastic bags, laminated bags, paper/PE, AL/PE with high performance and speed

Optional devices available:

- Trimmer
- Deduster
- Exhausting device



FBH-32+1P

Some machines and/or options are special order and can take 8-12 weeks to come in.
Distributed by: Doug Care Equipment 559-539-3076 doug@dougcare.com

Stainless Steel Continuous Band Sealers

	CBS-880 CBS-880II CBS-880III CBS-880X	FR-770 FR-770II FR-770III	HL-M810 HL-M810II HL-M810III	FRM-1120W	FRM-1120AL FRM-1120AL/D	FR-1120AL/S FR-1120AL/SD	FR-1120AL/SM	FR-1120AL/SL	FR-1120AL/ST
Type	Horizontal Vertical (II)	Horizontal Vertical (II)	Horizontal Vertical (II)	Horizontal	Vertical	Vertical	Vertical	Vertical	Vertical
Feeding	Right to Left	Left to Right	Left to Right	Right to Left	Right to Left	Right to Left	Right to Left	Right to Left	Right to Left
Power Supply (w)	110v/60Hz	110v/60Hz	110v/60Hz	110v/60Hz	110v/60Hz	110v/60Hz	110v/60Hz	110v/60Hz	110v/60Hz
Motor Power (w)	50	50	50	100	230 (1/3HP)	230 (1/3HP)	370 (1/2HP)	750 (1 HP)	100
Heat Sealing Power (w)	300 x 2	300 x 2	300 x 2	300 x 2	300 x 2	300 x 4	300 x 4	300 x 4	300 x 4
Seal Width (mm)	8-10	8-10	8-10	8-10	8-10	8-10	8-10	8-10	8-10
Sealing Speed (in/min)	0-472	0-472	0-472	0-394	0-394	0-394	0-315	0-315	0-394
Sealing Temp (°C)	0-300	0-300	0-300	0-300	0-300	0-300	0-300	0-300	0-300
Distance from Sealing Center to the Conveyor (in)	0.4-1.6 5.9-10.6(III)	0.4-1.6 5.9-10.6(III)	0.4-1.6	0.8-3.1	3.9-19.7 3.9-27.6(D)	3.9-19.7 3.9-27.6(SD)	10.6-20.9	17.7-35.4	No Conveyor
Distance from Sealing Center to the Floor (in)					47.2	47.2	24.4-34.6	33.5-51.2	51.2
Conveyor Size LxW (in)	38 x 7 38 x 11.8 (X)	33 x 7	37 x 6	43 x 8	55 x 10	55 x 10	75 x 12	94 x 14	No Conveyor
Conveyor Load Single (lb)	2.2	2.2	2.2	5.5	11	11	22	44	
Overall Conveyor Load (lb)	6.6	6.6	6.6	16.5	33	33	66	132	
Dimension L x W x H (in)	33 x 17 x 13	33 x 15 x 11	37 x 16 x 17	43 x 24 x 41	57 x 27 x 58	57 x 27 x 58	77 x 22 x 43	96 x 29 x 57	44 x 24 x 66
Net Weight (lb)	66	70	99	187	220 238 (LD)	220 235 (SD)	330	550	176
Embossing Function 1 line, 3 sections 3 x 4.5 x 9mm 15 characters/section	Embossing	Embossing				Embossing		Embossing	Embossing
Solid Ink Printing Function R-Type, 18 PT, 2 lines 8 charcters/line			Solid Ink	Solid Ink	Solid Ink		Solid Ink		
Printing Heating Power (w)			40 x 2	40 x 2	40 x 2		40 x 2		

III denotes horizontal band sealers with a stand

Some machines and/or options are special order and can take 8-12 weeks to come in.

Distributed by: Doug Care Equipment 559-539-3076 doug@dougcare.com